

Pressure Jet Burneres Part List

Bill of Material: Burner BPJ700-A0C1E1

Number	Type	Quantity	Nomenclature	ID
	Assembly	1	Volute Casing Related Components	B.PJ.A10C1V1
	Assembly	1	Air Impller Related Components	B.PJ.A20C1V1
	Assembly	1	Control Panel Related Components	B.PJ.A285C1V1
	Assembly	1	Air Pressure Switch Related Components	B.PJ.A155C1V1
	Assembly	1	Photocell Related Components	B.PJ.A158C1V1
	Assembly	1	Gas Unit Related Components	B.PJ.A161C1V1
	Assembly	1	Oil Unit Related Components	B.PJ.A199C1V1
	Assembly	1	Flame Related Components	B.PJ.A80C1V1

Bill of Material: Volute Casing Related Components B.PJ.A10C1V1

Number	Type	Quantity	Nomenclature	ID
1	Part	1	Volute Casing	B.PJ.P10V1
2	Part	1	Frame	B.PJ.P20V1
3	Part	4	Hexagon Socket Head Cap Screw	DIN 912 - M5×20
4	Part	1	Glass	B.PJ.P30V1
5	Part	1	Plug	B.PJ.P40V1
6	Part	4	Hexagon Socket Head Cap Screw	DIN 912 - M6×20
7	Part	1	V-Shape Plate	B.PJ.P50V1
8	Part	2	Hexagon Socket Countersunk Head Cap Screw	DIN 7991 - M6×12
9	Part	1	Plate	B.PJ.P60V1
10	Part	4	Revit	DIN 660 - 2.5×8 - Al

Bill of Material: Air Impller Related Components B.PJ.A20C1V1

Number	Type	Quantity	Nomenclature	ID
11	Part	1	Flange	Flange B.PJ.P70V1
12	Part	9	Washer	DIN 125 - 10.5 - 140 HV
13	Part	9	Spring Washer	DIN 128 - A10 - FSt
14	Part	5	Hexagon Head Screw	ISO 4017 - M10×25 - 8.8
	Assembly	1	Motor	Aryan Sanat AK 112
15	Part	4	Hexagon Head Screw	ISO 4017 - M12×40 - 8.8
16	Part	4	Washer	DIN 125 - 13 - 140 HV
17	Part	4	Spring Washer	DIN 128 - A12 - FSt
18	Part	4	Hexagon Nut	ISO 4032 - M12 - 8
	Assembly	1	Air Impller	B.PJ.A30C1V1
19	Part	1	Air Duct	B.PJ.P130V1
20	Part	4	Hexagon Socket Head Cap Screw	DIN 912 - M10×25
	Assembly	1	Air Flap	B.PJ.A60C1V1
	Assembly	1	Air Flap Actuator	Conectron LKS 310-24
	Assembly	1	Gland	B.PJ.B242A1
	Assembly	1	Air Cleaner	B.PJ.A50C1V1
21	Part	4	Washer	DIN 125 - 4.3 - 140 HV

Pressure Jet Burner Part List

22	Part	4	Pand Head Tapping Screw	DIN 968 - ST3.5×9.5 - C - Z
----	------	---	-------------------------	-----------------------------

Bill of Material: Air Impeller B.PJ.A30C1V1

Number	Type	Quantity	Nomenclature	ID
23	Part	1	Disk Plate	B.PJ.P80V1
24	Part	1	Ring Plate	B.PJ.P90V1
25	Part	48	Rolled Plate	B.PJ.P100V1
	Assembly	1	Taperlock Coupling	B.PJ.A40C1V1
13	Part	6	Spring Washer	DIN 128 - A10 - FSt
26	Part	6	Hexagon Head Screw	ISO 4017 - M10×20 - 8.8

Bill of Material: Taperlock Coupling B.PJ.A40C1V1

Number	Type	Quantity	Nomenclature	ID
27	Part	1	Flange	B.PJ.P110V1
28	Part	1	Bush	B.PJ.P120V1
29	Part	2	Set Screw	DIN 913 - M8×12 - 45H

Bill of Material: Air Flap B.PJ.A60C1V1

Number	Type	Quantity	Nomenclature	ID
30	Part	1	Shaft	B.PJ.P160V1
31	Part	1	Plate	B.PJ.P170V1
32	Part	4	Washer	DIN 125 - 6.4 - 140 HV
33	Part	4	Washer	DIN 128 - A6 - FSt
34	Part	4	Hexagon Socket Head Cap Screw	DIN 912 - M6×16
35	Part	1	Coupling	B.PJ.P180V1
36	Part	2	Set Screw	DIN 913 - M6×8 - 45H
37	Part	1	Set Screw	DIN 913 - M8×10 - 45H
38	Part	1	Bush	B.PJ.P190V1

Bill of Material: Air Cleaner B.PJ.A50C1V1

Number	Type	Quantity	Nomenclature	ID
39	Part	1	Frame	B.PJ.P140V1
40	Part	1	Screen	B.PJ.P150V1

Bill of Material: Control Panel Related Components B.PJ.A285C1V1

Number	Type	Quantity	Nomenclature	ID
	Assembly	1	Control Panel	B.PJ.A286C1V1
41	Part	3	Stud	DIN 835 - M10×35 - 8.8
12	Part	3	Washer	DIN 125 - 10.5 - 140 HV
13	Part	3	Spring Washer	DIN 128 - A10 - FSt
42	Part	3	Hexagon Nut	ISO 4032 - M10 - 8
	Assembly	1	Ignition System	B.PJ.A110C1V1
43	Part	1	Z-Shape Plate	B.PJ.P330V1

Pressure Jet Burneres Part List

	Assembly	2	Elbow Gland	B.PJ.B248A1
--	----------	---	-------------	-------------

Bill of Material: Control Panel B.PJ.A286C1V1

Number	Type	Quantity	Nomenclature	ID
	Assembly	1	Trusse	B.PJ.A287C1V1
	Assembly	1	Housing	B.PJ.A100C1V1
44	Part	8	Washer	DIN 125 - 5.3 - 140 HV
45	Part	8	Cheese Head Screw	ISO 1027 - M5×12 - 4.8
46	Part	8	Square Nut	DIN 562 - M5 - 04
	Assembly	6	Gland	B.PJ.B242A1
	Assembly	1	Elbow Gland	B.PJ.B248A1
	Assembly	1	Yellow Light	B.PJ.B251A1
	Assembly	1	Green Light	B.PJ.B252A1
	Assembly	1	Red Light	B.PJ.B253A1
	Assembly	1	Switch*	B.PJ.B254A1
47	Part	1	Terminal Mounting Rail	B.PJ.P47V1
	Assembly	28	Terminal	B.PJ.B256A1
48	Part	1	Terminal Mounting Rail	B.PJ.P48V1
	Assembly	9	Terminal	B.PJ.P257V1
	Assembly	40	Ferrule A0.75*	B.PJ.B258A1
	Assembly	3	Ferrule	B.PJ.B259A1
	Assembly	3	Ferrule	B.PJ.B260A1
49	Part	3	Ferrule	B.PJ.B49A1

Bill of Material: Trusse B.PJ.A287C1V1

Number	Type	Quantity	Nomenclature	ID
286	Part	1	Arc Belt	B.PJ.P286V1
51	Part	2	L-Shape Plate	B.PJ.P51V1

Bill of Material: Housing B.PJ.A100C1V1

Number	Type	Quantity	Nomenclature	ID
52	Part	1	Plate	B.PJ.P52V1
53	Part	1	Plate	B.PJ.P53V1
54	Part	1	Plate	B.PJ.P54V1
55	Part	1	Plate	B.PJ.P55V1
	Assembly	2	Hing	B.PJ.B245A1
32	Part	6	Washer	DIN 125 - 6.4 - 140 HV
56	Part	6	Hexagon Head Screw	ISO 4017 - M6×12 - 8.8
	Assembly	1	Lock	B.PJ.B247A1
57	Part	1	Plate	B.PJ.P57V1

Bill of Material: Ignition System B.PJ.A110C1V1

Number	Type	Quantity	Nomenclature	ID
--------	------	----------	--------------	----

Pressure Jet Burneres Part List

	Assembly	1	Housing	B.PJ.A120C1V1
	Assembly	1	Transformer	Trafo-Union ENR 4042 519
	Assembly	1	Transformer	Trafo-Union ENR 4042 515
148	Part	2	Cheese Head Screw	ISO 1027 - M5×12 - 4.8
44	Part	4	Washer	DIN 125 - 5.3 - 140 HV
149	Part	4	Hexagon Thin Nut	ISO 4035 - M5 - 05
	Assembly	1	Gland	B.PJ.B242A1

Bill of Material: Housing B.PJ.A120C1V1

Number	Type	Quantity	Nomenclature	ID
150	Part	1	Plate	B.PJ.P290V1
151	Part	1	Plate	B.PJ.P300V1
152	Part	1	Plate	B.PJ.P310V1
153	Part	1	Plate	B.PJ.P320V1
154	Part	4	Pan Head Screw	ISO 7045 - M4×8 - 4.8 - H

Bill of Material: Air Pressure Switch Related Components B.PJ.A155C1V1

Number	Type	Quantity	Nomenclature	ID
155	Part	1	Female Thread Adapter	B.PJ.P155V1
156	Part	1	Hexagon Thin Nut	B.PJ.B156A1
	Assembly	1	Air Pressure Switch	Krom Schroder DLSK-3
	Assembly	1	Gland	B.PJ.B242A1
	Assembly	1	Fitting	DIN 2353 - DL10 - Brass
157	Part	1	L-Shape Pipe	B.PJ.P157V1

Bill of Material: Photocell Related Components B.PJ.A158C1V1

Number	Type	Quantity	Nomenclature	ID
158	Part	1	Photo Cell Base	B.PJ.B158A1
159	Part	2	Cheese Head Screw	ISO 1027 - M4×14 - 4.8
160	Part	1	Photo Cell	Satronic UVZ 780
	Assembly	1	Photo Cell Clamp	B.PJ.B274A1

Bill of Material: Gas Unit Related Components B.PJ.A161C1V1

Number	Type	Quantity	Nomenclature	ID
161	Part	1	Flange	B.PJ.P161V1
12	Part	8	Washer	DIN 125 - 10.5 - 140 HV
13	Part	8	Spring Washer	DIN 128 - A10 - FSt
162	Part	8	Hexagon Head Screw	ISO 4017 - M10×40 - 8.8
163	Part	1	Hinged Body	B.PJ.P163V1
164	Part	2	Shaft	B.PJ.P164V1
165	Part	1	Flange	B.PJ.P165V1
166	Part	1	O-Ring	B.PJ.B166A1
167	Part	4	Stud	DIN 835 - M16×50 - 8.8

Pressure Jet Burneres Part List

168	Part	5	Washer	DIN 125 - 17 - 140 HV
169	Part	4	Spring Washer	DIN 128 - A16 - FSt
170	Part	5	Hexagon Nut	ISO 4032 - M16 - 8
	Assembly	1	Gas Unit	B.PJ.A175C1V1
171	Part	2	Female Thread Adapter	B.PJ.P171V1
	Assembly	2	Hexagon Socket Screw	B.PJ.A195C1V1
18	Part	2	Hexagon Nut	ISO 4032 - M12 - 8
172	Part	1	Hexagon Socket Screw	B.PJ.P172V1
173	Part	1	Hexagon Nut	B.PJ.P173V1
156	Part	1	Hexagon Thin Nut	B.PJ.B156A1
	Assembly	1	Plug	B.PJ.A1971V1
34	Part	4	Hexagon Socket Head Cap Screw	DIN 912 - M6×16
174	Part	1	Plug	B.PJ.B174A1

Bill of Material: Gas Unit B.PJ.A175C1V1

Number	Type	Quantity	Nomenclature	ID
175	Part	1	Tube	B.PJ.P175V1
176	Part	1	Tube	B.PJ.P176V1
177	Part	1	Flange	B.PJ.P177V1
178	Part	1	Ring	B.PJ.P178V1
179	Part	1	Gas	B.PJ.P179V1
180	Part	1	Cylindrical Socket Screw	B.PJ.P180V1
181	Part	8	Gas Nozzel Pipe	B.PJ.P181V1
182	Part	8	Gas Nozzel	B.PJ.P182V1
	Assembly	1	Gas Electrode Assembly	B.PJ.A187C1V1
	Assembly	1	Oil Electrod Assembly	B.PJ.A191C1V1
183	Part	2	Block	B.PJ.P183V1
184	Part	4	Stud	DIN 835 - M5×35 - 8.8
185	Part	4	Bush	B.PJ.P185V1
186	Part	1	Diffuser Plate	B.PJ.P186V1
44	Part	4	Washer	DIN 125 - 5.3 - 140 HV
149	Part	4	Hexagon Thin Nut	ISO 4035 - M5 - 05

Bill of Material: Gas Electrode Assembly B.PJ.A187C1V1

Number	Type	Quantity	Nomenclature	ID
187	Part	1	Block	B.PJ.P187V1
188	Part	1	Block	B.PJ.P188V1
189	Part	1	Plate	B.PJ.P189V1
190	Part	1	Electrode	B.PJ.B190A1

Bill of Material: Oil Electrod Assembly B.PJ.A191C1V1

Number	Type	Quantity	Nomenclature	ID
191	Part	1	Block	B.PJ.P191V1

Pressure Jet Burneres Part List

192	Part	1	Plate	B.PJ.P192V1
193	Part	1	Electrode	B.PJ.B193A1
194	Part	1	Electrode	B.PJ.B193A1

Bill of Material: Hexagon Socket Screw B.PJ.A195C1V1

Number	Type	Quantity	Nomenclature	ID
195	Part	1	Pin	B.PJ.P195V1
196	Part	1	Screw	B.PJ.P196V1

Bill of Material: Plug B.PJ.A1971V1

Number	Type	Quantity	Nomenclature	ID
197	Part	1	Flange	B.PJ.P197V1
198	Part	1	Bush	B.PJ.P198V1

Bill of Material: Oil Unit Related Components B.PJ.A199C1V1

Number	Type	Quantity	Nomenclature	ID
199	Part	1	Bracket	B.PJ.P199V1
16	Part	4	Washer	DIN 125 - 13 - 140 HV
17	Part	4	Spring Washer	DIN 128 - A12 - FSt
200	Part	4	Hexagon Socket Head Cap Screw	DIN 912 - M12×40 - 8.8
	Assembly	1	Electromotor	Aryan Sanat AK 80
12	Part	4	Washer	DIN 125 - 10.5 - 140 HV
13	Part	6	Spring Washer	DIN 128 - A10 - FSt
201	Part	6	Hexagon Socket Head Cap Screw	DIN 912 - M10×35 - 8.8
	Assembly	1	Flexible Coupling	B.PJ.A212C1V1
	Assembly	1	Gear Pump	Suntec E7NC 1001 5P
	Assembly	1	Oil Unit	B.PJ.A217C1V1
202	Part	2	Washer	DIN 125 - 8.4 - 140 HV
203	Part	2	Spring Washer	DIN 128 - A8 - FSt
204	Part	2	Hexagon Socket Head Cap Screw	DIN 912 - M8×25 - 8.8
205	Part	1	Gasket	B.PJ.B205A1
206	Part	1	Fitting	DIN 2353 - DL10 - Brass
207	Part	1	Pipe	B.PJ.P207V1
	Assembly	1	Male Stud Elbow	B.PJ.B208A1
208	Part	2	Reducing Nipple	B.PJ.B208A1
	Assembly	1	Hose Assembly	B.PJ.A282C1V1
	Assembly	1	Hose Assembly	B.PJ.A283C1V1
209	Part	4	Hexagon Nipple	B.PJ.B209A1
210	Part	2	Hose Coupling	B.PJ.B210A1
211	Part	2	Gasket	B.PJ.B211A1
	Assembly	1	Oil Nozzel Unit	B.PJ.A231C1V1

Bill of Material: Flexible Coupling B.PJ.A212C1V1

Pressure Jet Burneres Part List

Number	Type	Quantity	Nomenclature	ID
212	Part	1	Pump Adapter	B.PJ.P212V1
213	Part	1	Motor Adapter	B.PJ.P213V1
214	Part	1	Damper	B.PJ.P214V1
215	Part	1	Hexagon Socket Head Cap Screw	DIN 912 - M8×12 - 8.8
216	Part	2	Hexagon Socket Head Cap Screw	DIN 912 - M6×8 - 8.8

Bill of Material: Oil Unit B.PJ.A217C1V1

Number	Type	Quantity	Nomenclature	ID
217	Part	1	Connection Block	B.PJ.P217V1
218	Part	6	O-Ring Face Seal Fitting	B.PJ.B218A1
219	Part	3	Solenoid Valve	Parker PM140CR-B
220	Part	1	Manifold	B.PJ.P220V1
	Assembly	2	Control Valve	B.PJ.A221C1V1
221	Part	2	Manometer	TG 316 SS
222	Part	8	Hexagon Socket Head Cap Screw	DIN 912 - M8×115 - 8.8
205	Part	1	Gasket	B.PJ.B205A1
174	Part	1	Plug	B.PJ.B174A1

Bill of Material: Control Valve B.PJ.A221C1V1

Number	Type	Quantity	Nomenclature	ID
223	Part	1	Pinion	B.PJ.P223V1
224	Part	1	Stem	B.PJ.P224V1
225	Part	1	Packing Flange	B.PJ.P225V1
226	Part	1	Stem Nut	B.PJ.P226V1
227	Part	1	Back Nut	B.PJ.B227V1
228	Part	1	Handwheel	B.PJ.B228V1
229	Part	1	Hexagon Nut	DIN 982 - M6 - 8

Bill of Material: Oil Nozzel Unit B.PJ.A231C1V1

Number	Type	Quantity	Nomenclature	ID
230	Part	1	Female Thread Adapter	B.PJ.P231V1
206	Part	4	Fitting	DIN 2353 - DL10 - Brass
231	Part	2	Pipe	B.PJ.P232V1
232	Part	1	Female Thread Adapter	B.PJ.P233V1
	Assembly	1	Nozzel	B.PJ.B285A1
	Assembly	1	Nozzel	B.PJ.B286A1

Bill of Material: Flame Related Components

Number	Type	Quantity	Nomenclature	ID
	Assembly	1	Flame Cover	BPJ-A5C1V1
202	Part	4	Washer	DIN 125 - 8.4 - 140 HV
203	Part	4	Spring Washer	DIN 128 - A8 - FSt

Pressure Jet Burneres Part List

233	Part	4	Hexagon Nut	ISO 4032 - M8 - 8
-----	------	---	-------------	-------------------

Bill of Material: Flame Cover BPJ-A5C1V1

Number	Type	Quantity	Nomenclature	ID
234	Part	1	Flange	B.PJ.P235V1
235	Part	1	Tube	B.PJ.P236V1
236	Part	4	Hexagon Socket Countersunk Head Cap Screw	DIN 7991 - M8×40

Recapitulation of: Burner BPJ700-A0C1E1

Different parts: 173

Total parts: 595

Number	Type	Quantity	Nomenclature	ID
1	Part	1	Volute Casing	B.PJ.P10V1
2	Part	1	Frame	B.PJ.P20V1
3	Part	4	Hexagon Socket Head Cap Screw	DIN 912 - M5×20
4	Part	1	Glass	B.PJ.P30V1
5	Part	1	Plug	B.PJ.P40V1
6	Part	4	Hexagon Socket Head Cap Screw	DIN 912 - M6×20
7	Part	1	V-Shape Plate	B.PJ.P50V1
8	Part	2	Hexagon Socket Countersunk Head Cap Screw	DIN 7991 - M6×12
9	Part	1	Plate	B.PJ.P60V1
10	Part	4	Revit	DIN 660 - 2.5×8 - Al
11	Part	1	Flange	Flange B.PJ.P70V1
12	Part	24	Washer	DIN 125 - 10.5 - 140 HV
13	Part	32	Spring Washer	DIN 128 - A10 - FSt
14	Part	5	Hexagon Head Screw	ISO 4017 - M10×25 - 8.8
	Assembly	1	Motor	Aryan Sanat AK 112
15	Part	4	Hexagon Head Screw	ISO 4017 - M12×40 - 8.8
16	Part	8	Washer	DIN 125 - 13 - 140 HV
17	Part	8	Spring Washer	DIN 128 - A12 - FSt
18	Part	6	Hexagon Nut	ISO 4032 - M12 - 8
23	Part	1	Disk Plate	B.PJ.P80V1
24	Part	1	Ring Plate	B.PJ.P90V1
25	Part	48	Rolled Plate	B.PJ.P100V1
27	Part	1	Flange	B.PJ.P110V1
28	Part	1	Bush	B.PJ.P120V1
29	Part	2	Set Screw	DIN 913 - M8×12 - 45H
26	Part	6	Hexagon Head Screw	ISO 4017 - M10×20 - 8.8
19	Part	1	Air Duct	B.PJ.P130V1
20	Part	4	Hexagon Socket Head Cap Screw	DIN 912 - M10×25
30	Part	1	Shaft	B.PJ.P160V1
31	Part	1	Plate	B.PJ.P170V1

Pressure Jet Burneres Part List

32	Part	10	Washer	DIN 125 - 6.4 - 140 HV
33	Part	4	Washer	DIN 128 - A6 - FSt
34	Part	8	Hexagon Socket Head Cap Screw	DIN 912 - M6×16
35	Part	1	Coupling	B.PJ.P180V1
36	Part	2	Set Screw	DIN 913 - M6×8 - 45H
37	Part	1	Set Screw	DIN 913 - M8×10 - 45H
38	Part	1	Bush	B.PJ.P190V1
	Assembly	1	Air Flap Actuator	Conectron LKS 310-24
	Assembly	9	Gland	B.PJ.B242A1
39	Part	1	Frame	B.PJ.P140V1
40	Part	1	Screen	B.PJ.P150V1
21	Part	4	Washer	DIN 125 - 4.3 - 140 HV
22	Part	4	Pand Head Tapping Screw	DIN 968 - ST3.5×9.5 - C - Z
286	Part	1	Arc Belt	B.PJ.P286V1
51	Part	2	L-Shape Plate	B.PJ.P51V1
52	Part	1	Plate	B.PJ.P52V1
53	Part	1	Plate	B.PJ.P53V1
54	Part	1	Plate	B.PJ.P54V1
55	Part	1	Plate	B.PJ.P55V1
	Assembly	2	Hing	B.PJ.B245A1
56	Part	6	Hexagon Head Screw	ISO 4017 - M6×12 - 8.8
	Assembly	1	Lock	B.PJ.B247A1
57	Part	1	Plate	B.PJ.P57V1
44	Part	16	Washer	DIN 125 - 5.3 - 140 HV
45	Part	8	Cheese Head Screw	ISO 1027 - M5×12 - 4.8
46	Part	8	Square Nut	DIN 562 - M5 - 04
	Assembly	3	Elbow Gland	B.PJ.B248A1
	Assembly	1	Yellow Light	B.PJ.B251A1
	Assembly	1	Green Light	B.PJ.B252A1
	Assembly	1	Red Light	B.PJ.B253A1
	Assembly	1	Switch*	B.PJ.B254A1
47	Part	1	Terminal Mounting Rail	B.PJ.P47V1
	Assembly	28	Terminal	B.PJ.B256A1
48	Part	1	Terminal Mounting Rail	B.PJ.P48V1
	Assembly	9	Terminal	B.PJ.P257V1
	Assembly	40	Ferrule A0.75*	B.PJ.B258A1
	Assembly	3	Ferrule	B.PJ.B259A1
	Assembly	3	Ferrule	B.PJ.B260A1
49	Part	3	Ferrule	B.PJ.B49A1
41	Part	3	Stud	DIN 835 - M10×35 - 8.8
42	Part	3	Hexagon Nut	ISO 4032 - M10 - 8
150	Part	1	Plate	B.PJ.P290V1
151	Part	1	Plate	B.PJ.P300V1

Pressure Jet Burneres Part List

152	Part	1	Plate	B.PJ.P310V1
153	Part	1	Plate	B.PJ.P320V1
154	Part	4	Pan Head Screw	ISO 7045 - M4×8 - 4.8 - H
	Assembly	1	Transformer	Trafo-Union ENR 4042 519
	Assembly	1	Transformer	Trafo-Union ENR 4042 515
148	Part	2	Cheese Head Screw	ISO 1027 - M5×12 - 4.8
149	Part	8	Hexagon Thin Nut	ISO 4035 - M5 - 05
43	Part	1	Z-Shape Plate	B.PJ.P330V1
155	Part	1	Female Thread Adapter	B.PJ.P155V1
156	Part	2	Hexagon Thin Nut	B.PJ.B156A1
	Assembly	1	Air Pressure Switch	Krom Schroder DLSK-3
	Assembly	1	Fitting	DIN 2353 - DL10 - Brass
157	Part	1	L-Shape Pipe	B.PJ.P157V1
158	Part	1	Photo Cell Base	B.PJ.B158A1
159	Part	2	Cheese Head Screw	ISO 1027 - M4×14 - 4.8
160	Part	1	Photo Cell	Satronic UVZ 780
	Assembly	1	Photo Cell Clamp	B.PJ.B274A1
161	Part	1	Flange	B.PJ.P161V1
162	Part	8	Hexagon Head Screw	ISO 4017 - M10×40 - 8.8
163	Part	1	Hinged Body	B.PJ.P163V1
164	Part	2	Shaft	B.PJ.P164V1
165	Part	1	Flange	B.PJ.P165V1
166	Part	1	O-Ring	B.PJ.B166A1
167	Part	4	Stud	DIN 835 - M16×50 - 8.8
168	Part	5	Washer	DIN 125 - 17 - 140 HV
169	Part	4	Spring Washer	DIN 128 - A16 - FSt
170	Part	5	Hexagon Nut	ISO 4032 - M16 - 8
175	Part	1	Tube	B.PJ.P175V1
176	Part	1	Tube	B.PJ.P176V1
177	Part	1	Flange	B.PJ.P177V1
178	Part	1	Ring	B.PJ.P178V1
179	Part	1	Gas	B.PJ.P179V1
180	Part	1	Cylindrical Socket Screw	B.PJ.P180V1
181	Part	8	Gas Nozzel Pipe	B.PJ.P181V1
182	Part	8	Gas Nozzel	B.PJ.P182V1
187	Part	1	Block	B.PJ.P187V1
188	Part	1	Block	B.PJ.P188V1
189	Part	1	Plate	B.PJ.P189V1
190	Part	1	Electrode	B.PJ.B190A1
191	Part	1	Block	B.PJ.P191V1
192	Part	1	Plate	B.PJ.P192V1
193	Part	1	Electrode	B.PJ.B193A1
194	Part	1	Electrode	B.PJ.B193A1

Pressure Jet Burneres Part List

183	Part	2	Block	B.PJ.P183V1
184	Part	4	Stud	DIN 835 - M5×35 - 8.8
185	Part	4	Bush	B.PJ.P185V1
186	Part	1	Diffuser Plate	B.PJ.P186V1
171	Part	2	Female Thread Adapter	B.PJ.P171V1
195	Part	2	Pin	B.PJ.P195V1
196	Part	2	Screw	B.PJ.P196V1
172	Part	1	Hexagon Socket Screw	B.PJ.P172V1
173	Part	1	Hexagon Nut	B.PJ.P173V1
197	Part	1	Flange	B.PJ.P197V1
198	Part	1	Bush	B.PJ.P198V1
174	Part	2	Plug	B.PJ.B174A1
199	Part	1	Bracket	B.PJ.P199V1
200	Part	4	Hexagon Socket Head Cap Screw	DIN 912 - M12×40 - 8.8
	Assembly	1	Electromotor	Aryan Sanat AK 80
201	Part	6	Hexagon Socket Head Cap Screw	DIN 912 - M10×35 - 8.8
212	Part	1	Pump Adapter	B.PJ.P212V1
213	Part	1	Motor Adapter	B.PJ.P213V1
214	Part	1	Damper	B.PJ.P214V1
215	Part	1	Hexagon Socket Head Cap Screw	DIN 912 - M8×12 - 8.8
216	Part	2	Hexagon Socket Head Cap Screw	DIN 912 - M6×8 - 8.8
	Assembly	1	Gear Pump	Suntec E7NC 1001 5P
217	Part	1	Connection Block	B.PJ.P217V1
218	Part	6	O-Ring Face Seal Fitting	B.PJ.B218A1
219	Part	3	Solenoid Valve	Parker PM140CR-B
220	Part	1	Manifold	B.PJ.P220V1
223	Part	2	Pinion	B.PJ.P223V1
224	Part	2	Stem	B.PJ.P224V1
225	Part	2	Packing Flange	B.PJ.P225V1
226	Part	2	Stem Nut	B.PJ.P226V1
227	Part	2	Back Nut	B.PJ.B227V1
228	Part	2	Handwheel	B.PJ.B228V1
229	Part	2	Hexagon Nut	DIN 982 - M6 - 8
221	Part	2	Manometer	TG 316 SS
222	Part	8	Hexagon Socket Head Cap Screw	DIN 912 - M8×115 - 8.8
205	Part	2	Gasket	B.PJ.B205A1
202	Part	6	Washer	DIN 125 - 8.4 - 140 HV
203	Part	6	Spring Washer	DIN 128 - A8 - FSt
204	Part	2	Hexagon Socket Head Cap Screw	DIN 912 - M8×25 - 8.8
206	Part	5	Fitting	DIN 2353 - DL10 - Brass
207	Part	1	Pipe	B.PJ.P207V1
	Assembly	1	Male Stud Elbow	B.PJ.B208A1
208	Part	2	Reducing Nipple	B.PJ.B208A1

Pressure Jet Burneres Part List

	Assembly	1	Hose Assembly	B.PJ.A282C1V1
	Assembly	1	Hose Assembly	B.PJ.A283C1V1
209	Part	4	Hexagon Nipple	B.PJ.B209A1
210	Part	2	Hose Coupling	B.PJ.B210A1
211	Part	2	Gasket	B.PJ.B211A1
230	Part	1	Female Thread Adapter	B.PJ.P231V1
231	Part	2	Pipe	B.PJ.P232V1
232	Part	1	Female Thread Adapter	B.PJ.P233V1
	Assembly	1	Nozzel	B.PJ.B285A1
	Assembly	1	Nozzel	B.PJ.B286A1
234	Part	1	Flange	B.PJ.P235V1
235	Part	1	Tube	B.PJ.P236V1
236	Part	4	Hexagon Socket Countersunk Head Cap Screw	DIN 7991 - M8×40
233	Part	4	Hexagon Nut	ISO 4032 - M8 - 8